

DECLARATION OF PERFORMANCE

DOP number: B172659000800

1 - Unique identification code of the product-type:

RG59 B/U 75 Ω

2 - Intended use:

Supply of communication in buildings and other civil engineering works with the objective of limiting the generation and spread of fire and smoke

3 - Manufacturer:

[Redacted manufacturer information]

4 - Authorised Representative:

/

5 - System of AVCP:

System 3

6 - Notified body code:

2659

7 - Declared performance:

| Essential characteristics | Performance | Harmonised technical specification |
|---------------------------|-------------|------------------------------------|
| Reaction to fire | Eca | EN 50575:2014 + A1:2016 |
| Dangerous substances | None | |

8 - The performance of the product as identified is in conformity with the declared performance in point 7

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 3.

Signed for and on behalf of the manufacturer by: Dott. Igino Camerra

29/05/2017

[Redacted signature]
Managing Director
Igino Camerra

DECLARATION OF PERFORMANCE

DOP number: B170987001800

1 - Unique identification code of the product-type:

COMBI RG59 +..

2 - Intended use:

Supply of communication in buildings and other civil engineering works with the objective of limiting the generation and spread of fire and smoke

3 - Manufacturer:



4 - Authorised Representative:

/

5 - System of AVCP:

System 3

6 - Notified body code:

0987

7 - Declared performance:


| Essential characteristics | Performance | Harmonised technical specification |
|---------------------------|-------------|------------------------------------|
| Reaction to fire | Eca | EN 50575:2014 + A1:2016 |
| Dangerous substances | None | |

8 - The performance of the product as identified is in conformity with the declared performance in point 7

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 3.

Signed for and on behalf of the manufacturer by: Dott. Igino Camerra

16/06/2017


Managing Director
